SOLUTIONS 5550 WINCHESTER AVENUE SUITE A MARTINSBURG WV 25401 800-821-1279 RO3

Sort Stream:PD0P60

PARCEL SELECT US Postage Paid

SmartPost

Zip: 19806

Pallet: 8

CARRIER LEAVE IF

SHIP TO:

MR. BRIAN A GOM 1501 N RODNEY ST WILMINGTON DE 19806

WILMINGTON DE 19806

ZIP - USPS DELIVERY CONFIRMATION e-VS



4201 9806 9102 0634 4394 9157 9683 36

Ref Ord #: Y946673 Ship Date: 03 MAR 05-16 015796833 19806 120



Looking for more innovative lights with function, form and style?

Brighten your life with other innovative lighting solutions from Lumatec! Choose from a variety of artfully designed lighting products for your needs at home, work and play.

LIGHT ON . C. LIGHT OFF

PRESS HERE .

FLASHLIGHT BULB

Reading LightsKey LightsOutdoor Lights Executive Gifts Visit our website at www.lumatec.com for complete product descriptions, pricing and order information.

product availability and pricing information, send us an Email at intl@lumatec.com. Please include the specific product you are interested in and country in which you are located. *Customers outside the United States - for international

Limited Warranty

*To insert batteries remove the belt clip. Insert two AAA batteries as indicated.

Lumatec warrants to the original purchaser of this product that all components (excluding flashlight bulb's metal contacts) will be free of any defects in materials and labor for 90 days from purchase. This warranty does not include defects created from improper usage, replacement lamps, or metal contacts that become defective as a result of mishandling or leaking batteries.

This warranty is limited to the repair or replacement of the original unit and is made to the original purchaser only. It is effective caly upon presentation of a receipt proving date of purchase. For repair or replacement, send \$\$ (US\$15 outside USA) to cover return postage and handling costs with your defective unit to the attention of, Customer Returns, at the address listed below:

To use the light, simply slide the clip forward in the direction of the

Light Operation arrow on the clip.

place. You can feel when the tool has snapped into the open position. To close, simply apply pressure in the opposite direction, and push back into the clips. Note: Only one tool may be locked open at any time. Avoid trying to pry with the tools, as excessive To use any tool, simply pull it free from the clips and snap it into

Tool Usage

force can cause the tool to unlock or even shatter.

To insert batteries, firmly push the clip straight back toward the rear of the tool, as if turning the light off. (See diagram above) in some cases very firm pressure may be required. One AAA battery is inserted into each cavity (total of 2 batteries) in the directions

Battery Installation

LÙMATEC INDUSTRIES, INC. 500 SHADY LN AUSTIN, TEXAS 78702

© 2003 Lumatec

www.lumatec.com

Model OC-100

Octopus

Multi-Purpose Screw Driver and Flashlight

Owner's Manual



Lumalee

Manufacturer of High Performance Lights

